

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture CONTEC CARE+ TRIM MATT CARE SPRAY mixture
UFI EUE1-ECDU-400K-6P2J
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
the polish
Main intended use
PC-CLN-15.4 Metal polish/tarnish remover
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Distributor
Name or trade name Hermann Hartje KG
Address Deichstraße 120-122, Hoya/Waser, 27318 Germany
VAT Reg No DE116162847
Phone 0049/4251/811-20
E-mail rene.preuss@hartje.de
Web address www.hartje.de
- Manufacturer**
Name or trade name Nacházel, s.r.o. 
Address Průmyslová 11/1472, Praha 10 - Hostivař, 10219 Czech Republic
Identification number (CRN) 25734458
VAT Reg No CZ25734458
Phone +420 222 351 140
E-mail maziva@nachazel.cz
Web address www.nachazel.cz
- Competent person responsible for the safety data sheet**
Name Nacházel, s.r.o.
E-mail maziva@nachazel.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Aerosol 1, H229, H222
Asp. Tox. 1, H304
Skin Irrit. 2, H315
STOT SE 3, H336
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. EUH208 Contains benzyl salicylate.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date 15th December 2015
Revision date 29th December 2022 Version 3.0

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
hydrocarbons, c10-c13, n-alkanes, isoalkanes, cyclics, <2% aromatics
benzyl-salicylát

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P261 Avoid breathing spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501 Dispose of contents/container to be handing over to the person authorized to dispose of waste or by returning to the supplier.

Supplemental information

EUH208 Contains benzyl-salicylát. May produce an allergic reaction.
>=30 % aliphatic hydrocarbons, perfumes, Benzyl salicylate, Limonene

2.3. Other hazards

Note: The calculation method took into account the requirements of the CLP Regulation for the classification of aerosols in accordance with section 1.1.3.7 of Annex I, Part 1 of the CLP Regulation, ie an aerosol mixture is assigned to the same hazard category as a non-aerosol mixture. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below. Note on stated concentration ranges: the stated values cover the concentrations of the substances in the liquid and in the aerosol (the concentration of the propellant components corresponds to the content of these substances in the liquid / gas mixture).

The classification calculations are based on the upper values of the stated concentration ranges.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 75-28-5 EC: 200-857-2	Isobutane	40-50	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 3

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date 15th December 2015
Revision date 29th December 2022 Version 3.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 927-510-4 Registration number: 01-2119475515-33	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	15-50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	2
EC: 918-481-9 Registration number: 01-2119457273-39-XXXX	hydrocarbons, c10-c13, n-alkanes, isoalkanes, cyclics, <2% aromatics	10-30	Asp. Tox. 1, H304	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21-XXXX	propane	10-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	3
CAS: 8042-47-5 EC: 232-455-8	White mineral oil	5-15	Asp. Tox. 1, H304	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25-XXXX	propan-2-ol	2-<8	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 118-58-1 EC: 204-262-9 Registration number: 01-2119969442-31	benzyl-salicylát	<0,5	Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

Notes

- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)
Press. Gas (Liq.)
Press. Gas (Ref. Liq.)
Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. In the event of unconsciousness, do not provide food by mouth.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Take off contaminated clothing. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Aerosol products are not expected to be ingested. If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache. May cause drowsiness or dizziness.

If on skin

May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.

If in eyes

When intruding eyes, it can evoke irritation.

If swallowed

Irritation, nausea. Nausea, stomach pain, vomiting, diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date 15th December 2015
Revision date 29th December 2022 Version 3.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Obtain special instructions before use. Do not pierce or burn, even after use. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
200 ml	aerosol can	FE

Storage class 2B - Aerosols
Storage temperature min 0 °C, max 40 °C

The specific requirements or rules relating to the substance/mixture

Data not available.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	300 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	2085 mg/m ³	Chronic effects systemic		
Consumers	Dermal	149 mg/kg bw/day	Chronic effects local		
Consumers	Inhalation	447 mg/m ³	Chronic effects systemic		
Consumers	Oral	149 mg/kg bw/day	Chronic effects systemic		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

Respiratory protection

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	after solvents
Melting point/freezing point	<-60 °C (hydrocarbons C7)
Boiling point or initial boiling point and boiling range	-40 °C (the propellant)
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
bottom	1,8 %
upper	112 %
Flash point	-80 °C (the propellant)
Auto-ignition temperature	>230 °C ([ASTM E 659])
Decomposition temperature	data not available
pH	non-soluble (in water)
Kinematic viscosity	1,5 mm ² /s at 40 °C ((hydrocarbons C10-C13), ASTM D 445)
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	2400-4000 hPa at 20 °C (overpressure (the propellant))
Density and/or relative density	
Density	0,67 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	aerosol dispenser: spray aerosol, spray
data not available	

9.2. Other information

Evaporation rate	3 EtEt=1 ((hydrocarbons C7) DIN 53170)
Content of organic solvents (VOC)	1 kg/kg (Produkt)
Solid content (dry matter)	0 % volume
none	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under normal conditions. The product is stable and no degradation occurs under normal use.

10.2. Chemical stability

The product is stable and no degradation occurs under normal use.

10.3. Possibility of hazardous reactions

Protect against strong acids, bases and oxidizing agents.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date 15th December 2015
Revision date 29th December 2022 Version 3.0

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

CONTEC CARE+ TRIM MATT CARE SPRAY

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		>2000 mg/kg		Rabbit	

hydrocarbons, c10-c13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	DL ₅₀	OECD 401	>5000 mg/kg bw			
Dermal	LD ₅₀	OECD 402	>2000 mg/kg bw	24 hours	Rabbit	
Inhalation	LC ₅₀	OECD 403	>50 mg/l		Rat (Rattus norvegicus)	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
	LD ₅₀		>2920 mg/kg bw	24 hours	Rat (Rattus norvegicus)	
Inhalation (vapor)	LC ₅₀		>23300 mg/kg	48 hours	Rabbit	
	DL ₅₀		>5840 mg/kg bw		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

More information

Data not available.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date 15th December 2015
Revision date 29th December 2022 Version 3.0

Acute toxicity

Toxic to aquatic life with long lasting effects.

hydrocarbons, c10-c13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Parameter	Method	Value	Exposure time	Species	Environment
ErL ₅₀	OECD 201	>1000 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EbL ₅₀	OECD 201	>1000 mg/l	72 hours	Algae (Selenastrum capricornutum)	
NOELR	OECD 201	1000 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC ₅₀	OECD 201	>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
LC ₅₀	OECD 203	>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Parameter	Method	Value	Exposure time	Species	Environment
ErL ₅₀	OECD 201	10-30 mg/l	72 hours	Algae (Selenastrum capricornutum)	
NOELR	OECD 201	6.3 mg/l		Algae (Selenastrum capricornutum)	
EL ₅₀	OECD 202	1 mg/l	21 days	Daphnia (Daphnia magna)	
NOELR		1.53 mg/l of air	28 days	Fish (Oncorhynchus mykiss)	

propane

Parameter	Method	Value	Exposure time	Species	Environment
Log Pow		2.86			
BCF		13			

More information

Data not available.

12.2. Persistence and degradability

Biodegradability

hydrocarbons, c10-c13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Parameter	Method	Value	Exposure time	Environment	Result
		80 %	28 days		Easily biodegradable

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	98 %	28 days		Easily biodegradable

The mixture is biodegradable.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Not available.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

14 06 03 other solvents and solvent mixtures *
16 05 04 gases in pressure containers (including halons) containing hazardous substances *
17 04 05 iron and steel

Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers *
15 01 04 metallic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

15.2. Chemical safety assessment

Data not available.

More information

Contains more than 30% aliphatic hydrocarbons; Perfume (Benzyl Salicylate; Butylphenylmethylpropional; Limonene)

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

A list of additional standard phrases used in the safety data sheet

EUH208 Contains benzyl-salicylát. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas (Comp.)	Gas under pressure: compressed gas
Press. Gas (Diss.)	Gas under pressure: dissolved gas
Press. Gas (Liq.)	Gas under pressure: liquefied gas
Press. Gas (Ref. Liq.)	Gas under pressure: refrigerated liquefied gas
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ TRIM MATT CARE SPRAY

Creation date	15th December 2015	Version	3.0
Revision date	29th December 2022		

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 15 March 2019. Changes were made in sections 2, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.